




BEARING CORP.OF AMERICA

INA PASEY15 bearing units



PASEY15 Bearing 2D drawings and 3D CAD models

Bearing No. PASEY15

Bore Diameter	15 mm
d	15 mm
S1	16 mm
Thread (Q)	M6
A	30 mm
A1	18 mm
B	22 mm
H	30,2 mm
H1	10 mm
H2	57 mm
J	95 mm
L	125 mm
N	11 mm
N1	19 mm
Weight	0,43 Kg
Basic dynamic load rating (C)	9,8 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.55
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing



BEARING CORP.OF AMERICA

Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GAY15NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Spherical Standard Shaft Height With Grub Screw
Long Description	2 Bolt Pillow Block; 15MM Bore; 30.2MM Base to Center Height; Set Screw Mount; Ball Bearing; 81MM Minimum Bolt Spacing; 103MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contact; Non-e
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	PASEY15
Weight / LBS	1.213
Bore	0.591 Inch 15 Millimeter
Base to Center Height	1.189 Inch 30.2 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	3.6 Inch 92 Millimeter
Length Thru Bore	0.866 Inch 22 Millimeter
Bolt Spacing Minimum	3.189 Inch 81Millimeter
Bolt Spacing Maximum	4.055 Inch 103Millimeter



BEARING CORP.OF AMERICA